

Notice of Allowability	Application No.		Applicant(s)	
	10/759,080		GOBUSH, WILLIAM	
	Examiner		Art Unit	
Jason Pinheiro		3714		

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Pre-Appeal Request filed 09/10/2009.

2. ☒ The allowed claim(s) is/are 1-10, 12, 13, 18-37 and 43-45.

3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. <input type="checkbox"/> Notice of References Cited (PTO-892) 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date _____ 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. <input type="checkbox"/> Notice of Informal Patent Application 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413), Paper No./Mail Date _____ 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input checked="" type="checkbox"/> Other <u>Pre-Appeal Review.</u>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	/Peter DungBa Vo/ Supervisory Patent Examiner, Art Unit 3714
--	-----------------------------------------------------------------

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Sid Pandit on 10/13/09.

The application has been amended as follows:

2. Replace claim 1 with the following:

A single-camera system for monitoring a movement of a striking instrument that impacts with an object comprising:

(a) a single camera unit having a light sensitive panel that is operable to be focused on a field of view through which the striking instrument passes prior to striking the object, wherein said single camera unit is operable to shutter or gate at least two times as the striking instrument and object pass through the field of view;

(b) three or more contrasting areas on the striking instrument and one or more contrasting areas on the object, said contrasting areas positioned so that light emitting therefrom reaches said light sensitive panels to form images thereon and create image signals when camera shutters are open;

Art Unit: 3714

(c) an image analyzer operable to discriminate between the striking instrument contrasting areas and the object contrasting areas and determining the conditions of a path and orientation of the striking instrument through the field; and

(d) a rotatable calibration fixture having a pivot point and a plurality of predetermined contrasting areas, wherein three dimensional positions of the plurality of predetermined contrasting areas are known relative to each other, and wherein the striking instrument has a striking face, and wherein the striking instrument is calibrated such that the single-camera system is operable to identify a position and orientation of the striking face from the striking instrument contrasting areas, wherein a first calibration image of a first perspective view of the calibration fixture and first plurality of contrasting areas and the striking instrument and second plurality of contrasting areas is captured and the calibration fixture is rotated to a second orientation by the pivot point to provide a second perspective view of the calibration fixture and first plurality of contrasting areas and the striking instrument and second plurality of contrasting areas; wherein the striking instrument is a golf club comprising a club head and a club face and the object is a golf ball, wherein the image analyzer is operable to determine a club head path and face orientation during a swing of the golf club, and wherein the image analyzer is operable to determine a location of impact of the golf ball on the club face with an accuracy of 0.10 inch.

Allowable Subject Matter

3. Claims 1-10, 12-13, 18-37 and 43-45 are allowed.

REASONS FOR ALLOWANCE

4. The following is an examiner's statement of reasons for allowance: Claims 1, 28 and 37 distinguish over the prior art of record in that the Applicant specifically claims "a first calibration image of a first perspective view of the calibration fixture and first plurality of contrasting areas and the striking instrument and second plurality of contrasting areas is captured and the calibration fixture is rotated to a second orientation by the pivot point to provide a second perspective view of the calibration fixture and first plurality of contrasting areas and the striking instrument and second plurality of contrasting areas." The prior art does not disclose these teachings taught by the applicant's claims.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Pinheiro whose telephone number is (571)270-1350. The examiner can normally be reached on M - F 8:00 AM - 4 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dmitry Suhol can be reached on (571) 272-4430. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3714

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. P./

Examiner, Art Unit 3714

/Peter DungBa Vo/

Supervisory Patent Examiner, Art Unit 3714